

Fridge Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 2~8°C)

PHCL-C005 (Model: RAO4000)

Thermograph: ESCORT,1051-0078

Date (dd-mmm-yy)	Current (AM)			Current (PM)			Max. & Min.			Comments
	Time (hh:mm)	Temp (°C)	Signature (Initials)	Time (hh:mm)	Temp (°C)	Signature (Initials)	Max.Temp (°C)	Min.Temp (°C)	Signature (Initials)	
01-Mar-17	08:10	5.1	~YH	17:15	5.2	SHW	6.1	4.7	~YH	
02-Mar-17	08:40	4.9	~YH	17:22	5.2	~YH	5.6	4.6	~YH	
03-Mar-17	08:28	5.2	~YH	17:00	5.0	SHW	5.6	4.7	~YH	
06-Mar-17	08:25	4.8	~YH	17:00	5.2	SHW	6.1	4.8	~YH	
07-Mar-17	08:13	5.2	~YH	17:10	5.6	SHW	6.1	4.8	~YH	
08-Mar-17	08:30	5.6	~YH	17:05	5.5	~YH	5.8	5.3	~YH	
09-Mar-17	08:20	5.5	~YH	17:45	5.5	SHW	5.8	5.2	~YH	
10-Mar-17	08:15	5.5	~YH	17:30	5.5	SHW	5.6	4.4	~YH	
13-Mar-17	08:05	5.0	SHW	17:35	4.8	SHW	5.7	4.7	~YH	
14-Mar-17	08:05	5.2	SHW	17:25	5.2	SHW	5.3	4.7	~YH	
15-Mar-17	08:05	4.7	SHW	17:40	5.1	SHW	5.3	4.7	~YH	
16-Mar-17	08:05	4.9	SHW	17:25	4.7	SHW	5.4	4.4	~YH	
17-Mar-17	08:05	4.7	SHW	17:20	5.1	SHW	5.2	4.4	~YH	
20-Mar-17	08:40	4.7	~YH	17:05	4.9	SHW	5.1	4.4	~YH	
21-Mar-17	08:25	4.7	~YH	17:45	4.9	~YH	5.1	4.4	~YH	
22-Mar-17	08:15	5.1	~YH	18:15	5.0	SHW	5.3	4.4	~YH	
23-Mar-17	08:15	5.1	~YH	17:00	5.1	SHW	5.3	4.4	~YH	
24-Mar-17	10:00	5.2	~YH	17:05	5.0	SHW	5.3	4.6	~YH	
27-Mar-17	08:40	4.7	~YH	17:05	4.5	SHW	5.2	4.5	~YH	
28-Mar-17	08:30	5.1	~YH	16:55	5.3	SHW	5.5	4.6	~YH	
29-Mar-17	08:30	5.3	~YH	17:30	5.3	SHW	5.9	4.9	~YH	
30-Mar-17	08:10	5.0	~YH	17:05	5.2	SHW	5.4	4.8	~YH	
31-Mar-17	10:05	4.8	~YH	17:15	5.2	~YH	5.3	4.7	~YH	

Na-L Hy 05 Apr 2017