

台中榮民總醫院  
內部過敏免疫風濕科

此處刷卡用

結晶性關節炎特別紀錄表

健保榮民	健保員工	健保	健保員眷	民眾		
姓名		病房	床位	年齡	病歷號	

1977 Criteria for the Classification of Acute Arthritis of Primary Gout

- \_\_\_\_\_ 1. More than one attack of acute arthritis
- \_\_\_\_\_ 2. Maximum inflammation developed within 1 day
- \_\_\_\_\_ 3. Monoarthritis attack
- \_\_\_\_\_ 4. Redness observed over joints
- \_\_\_\_\_ 5. First metatarsophalangeal joint painful or swollen
- \_\_\_\_\_ 6. Unilateral first metatarsophalangeal joint attack
- \_\_\_\_\_ 7. Unilateral tarsal joint attack
- \_\_\_\_\_ 8. Tophus (proven or suspected)
- \_\_\_\_\_ 9. Hyperuricemia
- \_\_\_\_\_ 10. Asymmetric swelling within a joint on x ray\*
- \_\_\_\_\_ 11. Subcortical cysts without erosions on x ray
- \_\_\_\_\_ 12. Monosodium urate monohydrate microcrystals in joint fluid during attack
- \_\_\_\_\_ 13. Joint fluid culture negative for organisms during attack

\* This criterion could logically be found on examination as well as on x ray. However the protocol did not request this information in regard to examination.

Wallace SL, Robinson H, Masi AT, Decker JL, McCarty DJ, Yü T-F. Preliminary criteria for the classification of the acute arthritis of primary gout. *Arthritis Rheum* 1977;20:895---900.

©2007 American College of Rheumatology

**CPPD Criteria:**

\_\_\_\_\_ **I.** Demonstration of CPPD crystals, obtained by biopsy or aspirated synovial fluid, by definitive means (such as characteristic radiographic diffraction powder pattern)

\_\_\_\_\_ **II.A.** Identification of monoclinic or triclinic crystals showing a weak positive birefringence (or no birefringence) by compensated polarized light microscopy

**B.** Presence of typical calcifications on radiographs (as discussed in text): heavy punctate and linear calcifications in fibrocartilages, articular (hyaline) cartilages, and joint capsules, especially if bilaterally symmetric

\_\_\_\_\_ **III. A.** Acute arthritis, especially of knees or other large joints

**B.** Chronic arthritis, especially of knee, hip, wrist, carpus, elbow, shoulder, and metacarpophalangeal joints, particularly if accompanied by acute exacerbations

\_\_\_\_\_ **Diagnostic Categories:**

**A. Definite: Criteria I or II(A) must be fulfilled**

**B. Probable: Criteria IIA or IIB must be fulfilled**

**C. Possible: Criteria IIIA or IIIB suggests possible underlying CPPD deposition disease**